

Magnetic Linear Track Light System


Magnetic track light are available in different lengths, with the possibility of combining it with others, they eliminating the effect of interruption of light, in correspondence of the joint also in the comers.

The program has recessed versions, in surface and suspended.

The lighting fixtures can be moved and getting huge flexibility and adaptability of the configuration at any time.


MAGNET TRACK LIGHT

Nichia led commercial lighting series



吸頂/垂吊型 磁吸式軌道條 (mm)

3001-0001-1000	尺寸:W26.5×H53.2×L1000
3001-0001-2000	尺寸:W26.5×H53.2×L2000
3001-0001-3000	尺寸:W26.5×H53.2×L3000



預埋型 磁吸式軌道條 (mm)

3001-0002-1000	尺寸:W26.5×H53.2×L1000
3001-0002-2000	尺寸:W26.5×H53.2×L2000
3001-0002-3000	尺寸:W26.5×H53.2×L3000






磁吸式格柵軌道燈 YU-5056-1

功率	尺寸(mm)	光學角度	色溫(K)	演色性
6W	24×111×H45	40°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



磁吸式格柵軌道燈 YU-5056-2

功率	尺寸(mm)	光學角度	色溫(K)	演色性
12W	24×220×H45	40°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



磁吸式折疊格柵軌道燈 YU-6104

功率	尺寸(mm)	光學角度	色溫(K)	演色性
6W	22×112×H104	35° 60°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



磁吸式折疊格柵軌道燈 YU-6105

功率	尺寸(mm)	光學角度	色溫(K)	演色性
12W	24×220×H110	40°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



熒 磁吸式軌道投射燈 YU-6001

功率	尺寸(mm)	光學角度	色溫(K)	演色性
5W	35×97×H124	20°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



耀 磁吸式軌道投射燈 YU-6009

功率	尺寸(mm)	光學角度	色溫(K)	演色性
15W	50×145×H201	20° 30° 40° 60°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA





眼 磁吸式軌道投射燈 YU-5055-1

功率	尺寸(mm)	光學角度	色溫(K)	演色性
6W	24×111×H45	20° 40°	3000/4000 (特殊色溫可訂製)	CRI90
12W				
12W			2700~6500 (調光調色)	CRI80

鋁製品/COB模組/NICHIA/Bridgelux



暮 磁吸式軌道投射燈 YU-5055-2

功率	尺寸(mm)	光學角度	色溫(K)	演色性
7W	60×100×H160	20° 40°	3000/4000 (特殊色溫可訂製)	CRI90
12W				
12W			2700~6500 (調光調色)	CRI80

鋁製品/COB模組/NICHIA/Bridgelux



FOCUS 磁吸式軌道投射燈 YU-6005

功率	尺寸(mm)	光學角度	色溫(K)	演色性
13W	79×105×H124	30° 24° 36° 40° (反射杯)	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



眸 磁吸式軌道投射燈 YU-5055-3

功率	尺寸(mm)	光學角度	色溫(K)	演色性
6W	24×111×H45	20° 40°	3000/4000 (特殊色溫可訂製)	CRI90
12W				
12W			2700~6500 (調光調色)	CRI80

鋁製品/COB模組/NICHIA/Bridgelux



松果 磁吸式軌道投射燈 YU-6014

功率	尺寸(mm)	光學角度	色溫(K)	演色性
13W	110×85×H124	30° 60°	3000/4000 (特殊色溫可訂製)	CRI90

鋁製品/COB模組/NICHIA



熾 磁吸式軌道投射燈 YU-5055-4

功率	尺寸(mm)	光學角度	色溫(K)	演色性
7W	50×138×H20	20° 40°	3000/4000 (特殊色溫可訂製)	CRI90
12W				
18W				
12W			2700~6500 (調光調色)	CRI80

鋁製品/COB模組/NICHIA/Bridgelux



磁吸式勻光線型軌道燈

YU-5057-2

功率	尺寸(mm)	光學角度	色溫(K)	演色性
14W	22×300×H44	100°	3000/4000 (特殊色溫可訂製)	CRI90
6W	22×300×H26	140°		
6W			2700~6500 (調光調色)	CRI80

鋁製品/COB模組/NICHIA/Bridgelux



磁吸式勻光線型軌道燈


YU-5057-3

功率	尺寸(mm)	光學角度	色溫(K)	演色性
24W	22×602×H44	100°	3000/4000 (特殊色溫可訂製)	CRI90
6W	22×602×H26	140°		
12W				
18W				
6W			2700~6500 (調光調色)	CRI80
12W				

鋁製品/COB模組/NICHIA/Bridgelux




磁吸式軌道配件



L型黑色軌道接頭

3003-0001-01




L型黑色軌道接頭

3003-0002-01




垂直L型黑色軌道接頭

3003-0001-02




垂直L型黑色軌道接頭

3003-0002-02




T型黑色軌道接頭

3003-0001-03



T型黑色軌道接頭

3003-0002-03



一字接頭

3003-0001-04



電源頭

3003-0001-05



一字接電源頭

3003-0001-06



明裝吊索

3003-0001-07